Meaningful Innovation.

INSTRUCTION MANUAL

IR REMOTE CONTROLLER SET

TECHNICAL DATA

MODEL	VT-2472
SKU	3625
COLOR EFFECT	16
OUTPUT	3 Channels
CONNECTION MODE	Common Anode
INPUT VOLTAGE	DC: 12V/24V Optional
OUTPUT CURRENT	<2A (Each Channel)
MAX	6A
OUTPUT POWER	12V:<72W, 24V:<144W
OPERATION TEMPERATURE	-20°C to +60°C
STATIC POWER CONSUMPTION	<1W
IP RATING	IP20
DIMENSION	60x35x22mm



02 YEAR WARRANTY*

INTRODUCTION & WARRANTY

Thank you for selecting and buying V-TAC product. V-TAC will serve you the best. Please read these instructions carefully before starting the installation and keep this manual handy for future reference. If you have any another query, please contact our dealer or local vendor from whom you have purchased the product. They are trained and ready to serve you at the best. The warranty is valid for 2 years from the date of purchase. The warranty does not apply to damage caused by incorrect installation or abnormal wear and tear. The company gives no warranty against damage to any surface due to incorrect removal and installation of the product. The products are suitable for 10-12 Hours Daily operation. Usage of product for 24 Hours a day would void the warranty. This product is warranted for manufacturing defects only.

WARNING

1. Please make sure to turn off the power before starting the installation.
2. Installation must be performed by a certified person.
3. For indoor use only.

MULTI-LANGUAGE MANUAL QR CODE

Please scan the QR code to access the manual in multiple languages.

FR
Cet appareil, ses accessoires et cordons se recyclent
À DÉPOSER EN MAGASIN
OU
À DÉPOSER EN DÉCHÈTERIE
Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

IN CASE OF ANY QUERY/ISSUE WITH THE PRODUCT, PLEASE REACH OUT TO US AT:
SUPPORT@V-TAC.EU FOR MORE PRODUCTS RANGE, INQUIRY PLEASE CONTACT OUR DISTRIBUTOR OR NEAREST DEALERS.
V-TAC EUROPE LTD. BULGARIA, PLOVDIV 4000, BUL.L.KARAVELOW 9B

This marking indicates that this product should not be disposed of with other household wastes.

Caution, risk of electric shock.

DIRECTION OF USE


Connect the load wire first, followed by the power wire.

Operation: Ensure there are no obstructions between the remote controller and the receiver to maintain smooth and reliable operation.

The key functions are outlined in the table below, arranged according to the button layout.

Brightness +	Brightness -	Off	On
Static red	Static green	Static blue	Static white
Static rose red	Static light green	Static sapphire blue	3 color jumpy change
Static dark yellow	Static cyan blue	Static violet and grey	3 color fade change
Static Orange	Static sky blue	Static pink	7 color fade change
Static yellow	Static cyan	Static purple	7 base color jumpy

CONNECTION



Special Remark

This product features an adjustable color sequence function (BRG, GRB, or RGB). If the light colors do not correspond correctly with the remote control buttons, please follow the steps below to recalibrate:

a. Ensure that the controller is properly connected.
b. Press the OFF button, then press SMOOTH. The light will flash once to confirm the adjustment.
c. Press the ON button and verify whether the light colors match the remote control buttons. If they do not match, repeat step (b) until the correct configuration is achieved.

Note: The remote operates using two AAA batteries (not included).

CAUTION

1. The supply voltage for this product is DC 12V—24V. Do not connect it to any other voltage.
2. Remove the insulating film from the infrared remote control before use.
3. Do not overload this product.

REMOTE CONTROL SAFETY INSTRUCTIONS

- Before using this product, make sure that all parts are configured correctly according to the instructions in the attached instruction.
- The product should not be used by persons under 5 years of age without supervision by a parent or guardian.
- Ensure that the power batteries are configured correctly and have the appropriate parameters as specified by the manufacturer.

V-TAC WEST EUROPE LTD. IN CASE OF ANY QUERY/ISSUE WITH THE PRODUCT, PLEASE REACH OUT TO US AT: SUPPORT@V-TAC.EU FOR MORE PRODUCTS RANGE, INQUIRY PLEASE CONTACT OUR DISTRIBUTOR OR NEAREST DEALERS. V-TAC WEST EUROPE LTD. GROUND FLOOR, 71 LOWER BAGGOT STREET, DUBLIN 02, IRELAND DO2 P593

V-TAC UK LTD. IN CASE OF ANY QUERY/ISSUE WITH THE PRODUCT PLEASE REACH OUT TO US AT SUPPORT@VTACEXPORTS.COM V-TAC, 5A TUNGSTEN PARK, DOWNS ROAD, WITNEY, OXFORDSHIRE, OX29 0AX